



Unit Illustrated: Model MQVLBG48NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), VL48EG Grill Kit for Enclosure, MQRBRW Birch Log Set, MQG5C Glass Media (Bronze), MQSTONE10 Decorative Stones, MQVL48RGB Reflective Glass Liner (Back).
(Chase must be vented below and above appliance – consult manual for instructions).

ENCLAVE 34

MODEL	MQZCVBG34NE2	MQZCVBG34LPE2
Type	BAY PENINSULA	BAY PENINSULA
Fuel	Natural	Propane
Gas Control	IPI PF2	IPI PF2
Input Max.	25,000 BTU	24,000 BTU
Input Min.	17,500 BTU	19,000 BTU
Venting*	5" / 8"	5 / 8"
Glass Size	33 11/16" W X 22" H	33 11/16" W X 22" H
Glass Type	Ceramic	Ceramic
FE (P.4.1-15)	52.94%	51.96%

Ventilation Required:

THE FIREPLACE CHASE MUST BE VENTED ABOVE THE APPLIANCE**

THIS UNIT CAN BE CONVERTED TO A CORNER INSTALLATION

**This appliance is approved for use with 5" / 8" Kingsman Flex, M&G-DuraVent Direct Vent system (Model DV-GS Series) and Snorkel, BDM Pro Form Direct Vent, Ameri-Vent Direct Vent Pipe System, ICC Excel Direct, Metal Fab Sure-Seal DV and Selkirk Direct Temp. When using ICC Excel Direct a one-foot section of 5" / 8" MG DuraVent must be used as a starter collar at the flue of the appliance.*

***Consult Installation Manual for requirements and further clarification.*

Unit Illustrated: Model MQZCVBG34NE2 Direct Vent Fireplace (Natural Gas), VL34EG Grill Kit for Enclosure, MQLOGF453 Driftwood Log Set, MQZCVBG34RGB Reflective Glass Liner (Back).
(Chase must be vented above appliance – consult manual for instructions).



***NOTE:** the fireplace chase must be vented above the appliance.



Unit Illustrated: Model MQZCVBG34NE2 Bay Peninsula Direct Vent Fireplace (Natural Gas), MQLOGF34BW Birch Log Set, and MQZCVBG34RGB Reflective Glass Liner (Back).
(Chase must be vented above appliance – consult manual for instructions).


PRODUCT SPECIFICATIONS

DIMENSIONS

MQVLBG34 Bay Peninsula	MQVL48 Single Side	MQVLBG48 Bay Peninsula	MQVL60 Single Side	MQVLBG60 Bay Peninsula	MQVL72 Single Side	MQVLBG72 Bay Peninsula
A 16 7/16"	A 18 13/16"	18 13/16"	A 20 1/16"	20 1/16"	A 18 13/16"	18 7/8"
B 34 5/16"	B 56 1/2"	56 1/2"	B 68 1/2"	68 1/2"	B 80 1/2"	80 1/2"
C 37 5/8"	C 36 5/16"	36 5/16"	C 36 5/16"	36 5/16"	C 36 5/16"	36 5/16"
D 34 5/8"	D 46 3/8"	46 3/8"	D 58 1/2"	58 1/2"	D 70 1/2"	70 1/2"
E 34 1/8"	E 54 15/16"	54 15/16"	E 66 11/16"	66 5/8"	E 78 5/8"	78 5/8"
F 21 1/2"	F 49 1/16"	49 1/16"	F 61 1/32"	61 1/32"	F 73 3/16"	73 3/16"
G 7 9/16"	G 9 3/4"	9 3/4"	G 9 3/4"	9 3/4"	G 9 3/4"	9 3/4"
H 20 15/16"	H 15 1/4"	15 1/4"	H 15 1/4"	15 1/4"	H 15 1/4"	15 1/4"
I 9/16"	I 9/16"	—	I 1 1/16"	3/4"	I 1 1/16"	3/4"
J 3 1/2"	J 4"	4"	J 4"	4"	J 4"	4"
K 5 1/16"	K 7 5/16"	7 1/4"	K 7 5/16"	7 5/16"	K 7 5/8"	7 5/16"
L 4 7/16"	L 4 9/16"	4 9/16"	L 4 9/16"	4 9/16"	L 4 9/16"	4 9/16"
M 16 3/4"	M 18"	18"	M 18"	18"	M 18 7/8"	18 7/8"
N 37 5/8"	N 36 1/4"	36 1/4"	N 36 5/16"	36 5/16"	N 36 5/16"	36 5/16"
O —	O 8 1/4"	8 1/4"	O 8 1/4"	8 1/4"	O 8 1/4"	8 1/4"
P 14 13/32"	P —	14 13/32"	P —	14 13/32"	P —	14 13/32"

WALL SURROUND

for 48/60/72 Single Side




VL48S1 VL60S1 VL72S1

A 58 1/16"	70 1/16"	82 1/16"
B 18 1/2"	18 1/2"	18 1/2"
C 1 1/2"	1 1/2"	1 1/2"
D 1 1/2"	1 1/2"	1 1/2"

SIDE EXTENSION PANELS

for 48/60/72 Single Side




VL48SEP


A 17 7/8"
B 17 1/8"
C 18 3/8"
D 18 3/16"
E 1/2"

CORNER KIT


34 Bay: ZCV34BGCK
48/60/72 Bay: VLBGCK




TOP VIEW



SIDE VIEW – SINGLE SIDED




SIDE VIEW – BAY PENINSULA




FRONT VIEW

MQZCVBG34




MQVLB48/60/72




ENCLOSURE GRILL


FRONT/TOP VIEW – VL34EG




FRONT/TOP VIEW – VL48EG



FRONT/TOP VIEW – VL60EG/VL72EG





SIDE VIEW




	VL34EG	VL48EG	VL60EG	VL72EG
A	32 5/16"	49 3/4"	61 3/4"	79 3/4"
B	4 3/8"	4 13/16"	4 7/8"	4 7/8"
C	31 3/16"	48 1/2"	60 1/2"	78 5/8"
D	3 1/4"	3 1/2"	3 5/8"	3 5/8"

SIDE ENCLOSURE GRILL (PAIR)

FRONT VIEW



TOP VIEW



	VL34EGS	VL60EGS	VL72EGS
A	11 1/4"	16 3/16"	16 3/16"
B	6"	7 7/8"	10 3/8"
C	2 5/8"	2 7/8"	2 7/8"
D	4 9/16"	6 7/16"	8 15/16"
E	10 1/2"	15 7/16"	15 7/16"
F	2 7/8"	2 9/16"	2 7/8"

Unit Illustrated:
 Model MQVLBG60NE2 Bay Peninsula Direct Vent
 Fireplace (Natural Gas), MQG5C Ember Glass
 (Bronze), MQLOGF48D Log Set (Driftwood),
 MQSTONE10 Decorative Stones (10 pce),
 MQVL60RLSB Liner (Stacked Brick).
 (Chase must be vented below and above
 appliance – consult manual for instructions).



ACCESSORIES

LOG SETS



MQLOGF340AK (7-Piece) Oak Set
ENCLAVE 34



MQLOGF34BW (7-Piece) Birch Set
ENCLAVE 3



MQ42D (6-Piece) Driftwood Set
ENCLAVE 34



MQLOGF453 (5-Piece) Driftwood Set
ENCLAVE 34



MQ46D (3-Piece) Driftwood Set ENCLAVE 48 / 60 / 72



MQRBD1 (4-Piece) Driftwood Set with 4 Rocks ENCLAVE 48 / 60 / 72



MQRBD3 (5-Piece) / MQRBD4 (3-Piece) Driftwood Set ENCLAVE 34 / 48 / 60 / 72



MQLOAK1 Oak Log Set (Main Set) ENCLAVE 48 / 60 / 72



MQLOGF48D (6-Piece) Driftwood Set ENCLAVE 48 / 60 / 72



MQLOAK2 Oak Set - Also shown with MQLOAK1 Set ENCLAVE 60 / 72



MQRBRW (5-Piece) Birch Set ENCLAVE 34 / 48 / 60 / 72



MQRBD2 (3-Piece) Driftwood Set ENCLAVE 48 / 60 / 72

ROCK AND GLASS SETS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass




MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



RBCB1 Multi-Colored Cannonballs

LINERS



Traditional Brick

ENCLAVE 34



Fluted

ENCLAVE 34 / 48 / 60 / 72



Stacked Brick

ENCLAVE 48 / 60 / 72



Glass Reflective

ENCLAVE 34 / 48 / 60 / 72

ENCLAVE 48

ZERO CLEARANCE DIRECT VENT BAY PENINSULA
GAS FIREPLACE

 marquis
COLLECTION

MODEL	MQVLBG48NE2	MQVLBG48LPE2	MQVL48NE2	MQVL48LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural	Propane	Natural	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	35,000 BTU	35,000 BTU	35,000 BTU	35,000 BTU
Input Min.	25,000 BTU	27,000 BTU	25,000 BTU	27,000 BTU
Venting	5 ⁷ / ₈ "			
Glass Size	49 1/16" W x 17 7/8" H			
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	53.20%	53.20%	53.20%	53.20%

STANDARD FEATURES

- LED Accent Lighting (non-dimmable)
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat and accent lighting control
- Zero Clearances to TVs and Artwork
- Invisible Glass Safety Barrier

MEDIA OPTIONS

- 5 Driftwood Log Sets and 1 Birch Log Set
- Decorative Ember Glass (5 colour options)
- Ember Chunks
- Decorative Stones
- Rock Sets (Natural or Multi-Colored)

OPTIONAL FEATURES

Surround:

Black or Stainless; Single-Sided Models only

Enclosure Grill:

Unfinished

Corner Kit:

Available for Bay Peninsula Unit

Side Extension Panels:

Black; Single-Sided Models only


Heat Distribution System:

Plenum

LINER OPTIONS

- Fluted Brick
- Stacked Brick
- Porcelain Reflective
- Reflected Glass

STARTING AT



ENCLAVE 60

ZERO CLEARANCE DIRECT VENT BAY PENINSULA
GAS FIREPLACE

 marquis
COLLECTION

MODEL	MQVLBG60NE2	MQVLBG60LPE2	MQVL60NE2	MQVL60LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural	Propane	Natural	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	45,000 BTU	44,000 BTU	45,000 BTU	44,000 BTU
Input Min.	32,000 BTU	35,000 BTU	32,000 BTU	35,000 BTU
Venting	5 ⁷ / ₈ "			
Glass Size	61 1/32" W x 17 7/8" H			
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	56.18%	56.52%	56.18%	56.52%

STANDARD FEATURES

- LED Accent Lighting (non-dimmable)
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat and accent lighting control
- Zero Clearances to TVs and Artwork
- Invisible Glass Safety Barrier

MEDIA OPTIONS

- 5 Driftwood Log Sets and 1 Birch Log Set
- Decorative Ember Glass (5 colour options)
- Ember Chunks
- Decorative Stones
- Rock Sets (Natural or Multi-Colored)

OPTIONAL FEATURES

- Surround:**
Black or Stainless; Single-Sided Models only
- Enclosure Grill:**
Unfinished
- Corner Kit:**
Available for Bay Peninsula Unit
- Side Extension Panels:**
Black; Single-Sided Models only

LINER OPTIONS

- Fluted Brick
- Stacked Brick
- Porcelain Reflective
- Reflected Glass

STARTING AT



ENCLAVE 72

ZERO CLEARANCE DIRECT VENT BAY PENINSULA
GAS FIREPLACE

 marquis
COLLECTION

MODEL	MQVLBG72NE2	MQVLBG72LPE2	MQVL72NE2	MQVL72LPE2
Type	BAY PENINSULA	BAY PENINSULA	SINGLE-SIDED	SINGE-SIDED
Fuel	Natural	Propane	Natural	Propane
Gas Control	IPI PF2	IPI PF2	IPI PF2	IPI PF2
Input Max.	50,000 BTU	50,000 BTU	50,000 BTU	50,000 BTU
Input Min.	34,000 BTU	39,000 BTU	34,000 BTU	39,000 BTU
Venting	5" / 8"	5" / 8"	5" / 8"	5" / 8"
Glass Size	73 1/6" W x 17 7/8" H			
Glass Type	Ceramic	Ceramic	Ceramic	Ceramic
FE (P.4.1-15)	56.18%	56.52%	56.18%	56.52%

STANDARD FEATURES

- LED Accent Lighting (non-dimmable)
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat and accent lighting control
- Zero Clearances to TVs and Artwork
- Invisible Glass Safety Barrier

MEDIA OPTIONS

- 5 Driftwood Log Sets and 1 Birch Log Set
- Decorative Ember Glass (5 colour options)
- Ember Chunks
- Decorative Stones
- Rock Sets (Natural or Multi-Colored)

OPTIONAL FEATURES

- Surround:**
Black or Stainless; Single-Sided Models only
- Enclosure Grill:**
Unfinished
- Corner Kit:**
Available for Bay Peninsula Unit
- Side Extension Panels:**
Black; Single-Sided Models only

LINER OPTIONS

- Fluted Brick
- Stacked Brick
- Porcelain Reflective
- Reflected Glass

STARTING AT

