

# REGENCY HORIZON™ HZO42

## Outdoor Gas Fireplace



HZO42 shown with crystals.

### DESIGN YOUR OWN OUTDOOR FIREPLACE

Enjoy the drama of beautiful wide-angle flames amplified by a reflective stainless steel body. A tempered glass wind shield maintains the strong flame picture, while the seasonal weather cover (included) protects the fireplace when it's not in use. Choose from a host of fine fire bed selections to create a flame experience as unique as you.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)*	44,500	43,500

\* Figure will vary with individual conditions and fuel quality.

DIMENSIONS	
Faceplate width	39-1/2"
Faceplate height	17"
Viewing area	449 sq. in.





HZO42 shown with driftwood ceramic log set & optional framing kit.

## STANDARD FEATURES

- Natural gas or propane
- Stainless steel linear burner covered with copper crystals
- Stainless steel faceplate with seasonal weather cover
- Stainless steel heat deflector & inner panels
- Tempered glass wind shield
- Easy access on/off switch
- Electronic ignition system
- Safety valve (turns gas off if flame goes out)
- Runs on a battery pack
- Approved for outdoor installation only
- No venting required

## OPTIONS

- Crystals or firebeads in various colors
- Volcanic stones in various colors
- Ceramic driftwood log set
- River pebbles
- Framing kit
- Hardwire kit (hardwire directly into household wiring)



# REGENCY HORIZON™ HZO60

## Outdoor Gas Fireplace



HZO60 shown in see-through application.

### REGENCY'S LARGEST OUTDOOR GAS FIREPLACE EVER!

HZO60 is the perfect combination of style and comfort. This impressive 60" outdoor fire feature converts from single-sided to see-through design perspective. Harness the power of 64,000 BTU's to remove the chill from night air so you can enjoy your patio for longer!

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)*	64,000	62,000

\* Figure will vary with individual conditions and fuel quality.

DIMENSIONS	
Width	60"
Height	17"
Depth	18"
Viewing area	up to 1,020 sq. in.





HZO60 shown in single-sided application.

## STANDARD FEATURES

- Natural gas
- Stainless steel linear burner
- Single-sided or see-through design
- Stainless steel inner panels
- Tempered glass wind shield
- Easy access on/off switch
- Electronic ignition system
- Safety valve (turns gas off if flame goes out)
- Runs on a battery pack
- Approved for outdoor installation only
- No venting required

## OPTIONS

- Stainless steel faceplate
- Stainless steel burner perimeter finishing trim
- Stainless steel burner cover
- Crystals or firebeads in various colors (must choose one)
- Volcanic stones in various colors
- Ceramic driftwood log set
- Hardwire kit (hardwire directly into household wiring)
- Propane conversion kit

# FINISHING OPTIONS

## CRYSTALS & FIREBEADS



Crystals - Black



Crystals - Copper



Crystals - Starfire



Firebeads - Black



Firebeads - Caramel Luster



Firebeads - Glacier Ice

## STONES & LOGS



Volcanic Stones - Gray



Volcanic Stones - Tan



River Pebbles  
(HZO42 only)



Driftwood Ceramic Log Set

## COFFEE FIRETABLE TOP OPTIONS



Stainless Steel



Sunset Bronze

## ADDITIONAL OPTIONS



Exquisitely finished tempered glass for maximum safety and optimum fire viewing (Table top version shown)



Matching burner cover protects the burner, when not in use (not available for HZO42)



# FRAMING KITS


## 1-2-3 INSTANT FIREPLACE - HZO42



No fireplace? No problem! The Regency steel framing kit allows you to install and finish your outdoor gas fireplace in no time...

**DIMENSIONS: 60" W x 20" D x 52-1/2" H**


## PTO30 SEE-THROUGH FRAMING KIT



Custom application using the Regency Plateau™ PTO30 burner and see-through framing kit with Stainless Steel Panels.


NOTE: Ventilation grills are required for all enclosures. This is to alleviate moisture and allow air to circulate. Depending on model either 2 or 4 ventilation grills with a minimum 20 sq in. for each grill are required. See manual for details.

## HARD WIRE KIT



Hard wire kit is perfect for residential or commercial applications (not available for PTO30CFT).

## TABLE FRAMING KIT




NOTE: Finishing materials are not included with framing kits.

FRAMING	50"	60"
A	24"	24"
B	69"	79"
C	24"	24"


# DIMENSIONS

## SPECIFICATIONS HZO42



NOTE: Gas Connection/Electrical connections if using optional Hardwire Kit are located on left hand side of appliance.

## SPECIFICATIONS HZO60 Single sided and see-through




NOTE: Gas Connection/Electrical connections if using optional Hardwire Kit are located on left hand side of appliance.

# DIMENSIONS

## FRAMING

	HZO42	HZO60
J	42-3/16"	69"
K	32-11/16"	40-1/4"
L	20"	22-1/4"
M	52-1/2"	43-3/4"
N	40-7/16"	76-13/16"*
O	54-3/16"	108-5/8"*
P	60"	--




\*Single sided only

Note: Please refer to the manual for specific framing instructions for the see through configuration.

## CLEARANCES

	HZO42	HZO60*
A (min)	18"	22"
B	11"	11"
C	36"	36"
D (max)	12"	12"
E	57"	86"
F	36"	36"



\* The same clearances apply for the see through configuration.

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our website [www.regency-fire.com](http://www.regency-fire.com)