

Electric Inserts

Transform Your Space •



FRONT OPTIONS



3-sided & 4-sided
Finishing Trim (included)



Flush 3-Sided Faceplate



Flush 4-Sided Faceplate



Oversize Backing Plate

PREMIUM SURROUNDS



Black



White



Sunset Bronze



Grey



Brushed Nickel

TRADITIONAL SURROUNDS



Black



Brushed Antique Copper

CUSTOM FACEPLATES



Custom 3-sided Faceplate



Custom 4-sided Faceplate

LOG SET OPTIONS



Split Oak



Birch



Driftwood

Electric Inserts

Flames so realistic, you'll forget it's electric! The Regency lineup of modern electric inserts combines expert craftsmanship with sleek, contemporary design. Enhanced flame effects and extra-deep beds of lifelike logs or crystals create stunning depth and realism. Featuring advanced Chromalight LED technology with a wide range of lighting combinations, these inserts deliver captivating visuals and a true 3D flame experience. With high-efficiency heating, a clean modern look, and easy installation, Regency electric inserts are an effortless choice for comfort and style.



REGENCY ATMOSPHERE Ei29LCD

Premium Electric Insert



Ei29LCD shown with flush 3-sided faceplate, premium white surround and driftwood logs.

FEATURES

- Option to install as a 5,000 BTU heater with 120V and combustible materials, or 9,500 BTU heater with 240V and non-combustible materials
- LCD screen with 9 unique flame options, spark effects, and crackling sounds
- Top-down lighting enhances realism and reflection on the log set, providing a sense of depth
- 14 fuel bed colour options and 5 levels of brightness
- Pick one colour to suit your vibe or automatically cycle through them all
- Customize your look with split oak, birch, or driftwood-style log sets
- Included remote control to adjust the power, heater, flames, brightness, and desired temperature
- Option to control the power, flame, and heater with discreet integrated buttons
- 3 and 4-sided finishing trims are included, for an easy out-of-the-box install

DIMENSIONS

Width (front)	29-1/2"
Width (back)	22-15/16"
Height	19-7/8"
Depth	12"

REGENCY ATMOSPHERE Ei33LCD

Premium Electric Insert



Ei33LCD shown with 4 Sided trim and Split Oak log set

FEATURES

- Option to install as a 5,000 BTU heater with 120V and combustible materials, or 9,500 BTU heater with 240V and non-combustible materials
- LCD screen with 9 unique flame options, spark effects, and crackling sounds
- Top-down lighting enhances realism and reflection on the log set, providing a sense of depth
- 14 fuel bed colour options and 5 levels of brightness
- Pick one colour to suit your vibe or automatically cycle through them all
- Customize your look with split oak, birch, or driftwood-style log sets
- Included remote control to adjust the power, heater, flames, brightness, and desired temperature
- Option to control the power, flame, and heater with discreet integrated buttons
- 3 and 4-sided finishing trims are included, for an easy out-of-the-box install

DIMENSIONS

Width (front)	33-3/8"
Width (back)	26-7/8"
Height	24"
Depth	11-5/8"

REGENCY ATMOSPHERE Ei25 • Ei29 • Ei33

Small, Medium and Large Electric Inserts



Ei29 shown with 3 sided flush faceplate and Split Oak log set

FEATURES

- Option to install as a 5,000 BTU heater or 9,500 BTU heater
- High-impact, realistic orange & red flame pattern that provides the utmost realism with 5 levels of brightness
- Top-down lighting enhances realism and reflection on the log set, providing a sense of depth
- Pulsing, Dynamic Fuel Bed lighting with a spectrum of different colours to enhance your mood with 5 levels of brightness
- High-definition, 3D Layered Oak log set complete with Charcoal Logs, Embers, Ginger Crystals & Grate - the most realistic electric media package in the industry
- Customize your look with a hand-crafted artisan birch or driftwood-style log set
- Included thermostatic remote control to adjust the power, heater, flames, brightness and desired temperature
- Option to control the power, flame and heater with discreetly integrated buttons
- 3 and 4-sided finishing trims are included, for an easy out-of-the-box install

FLAME VIEWING AREA	
Ei25	24-11/16" W x 15-7/8" H
Ei29	28-11/16" W x 18-7/8" H
Ei33	32-11/16" W x 22-7/8" H



Ei33 shown with 3 sided flush faceplate, Sunset Bronze surround and Split Oak log set



Ei25 shown with 3 sided finishing trim and Birch log set

A modern living room interior. A long, low fireplace with a white surround and a dark interior is the focal point, with a fire burning inside. To the left, a round wooden coffee table holds a bottle of wine, a glass, and a small potted plant. A dark sofa is in the foreground. To the right, two tall cacti in pots are near a window. The background wall is white with built-in shelves holding books and decorative items.


Features & Accessories •

FEATURES AND ACCESSORIES



ACCESSORIES		STUDIO	ONYX	AVITA
Fireplace Type	Single-Sided	✓	•	•
	Single-Sided or Multi-Sided	•	✓	✓
Sizes		41" / 53" / 65"	43" / 59" / 75"	48" / 64" / 75"
Glass Viewing Area Height		13"	17"	17-3/4"
Depth		7.75"	13.25"	12.5"
Remote Control		✓	✓	✓
App Control		•	✓	✓
Touch Panel Control		•	•	✓
Flame Colours	3 Colours	✓	•	•
	Fully Adjustable Multi-Colour	•	✓	✓
	Adjustable Brightness	✓	✓	✓
Flame Speed	Fixed Speed	✓	•	✓
	Fully Adjustable	•	✓	•
Down-Lighting	Multi-Colour	•	✓	✓
	Adjustable Brightness	•	✓	✓
Fuel Bed	Logs + Ember Media	✓	✓	✓
	Crystal Ice Media	•	•	•
	Hidden Log Lighting System	•	✓	✓
	Adjustable Brightness	✓	✓	✓
Birch Fuel Effect		★	★	•
Fan		✓	✓	✓
Finishing Trim		✓	✓	✓
Mood Lighting Kit		★	★	★
Wall Mounting Bracket		•	✓	✓

- Not available
- ✓ Standard
- ★ Optional


SPECIFICATIONS – Ei25 ELECTRIC INSERT



3-Sided Faceplate




4-Sided Faceplate



FACEPLATE	DIMENSIONS			
	A - WIDTH	B - HEIGHT	C - DEPTH	D - BOTTOM HEIGHT
3-Sided Finishing Trim*	27-1/16"	17-7/8"	1/8"	--
4-Sided Finishing Trim**	27-1/16"	18-13/16"	1/8"	13/16"
3-Sided Flush Faceplate	35-13/16"	23-1/4"	1/16"	--
4-Sided Flush Faceplate	35-13/16"	26"	1/16"	4-7/16"
3-Sided Flush Faceplate with Premium Surround	36-3/16"	23-7/8"	1-11/16"	--
3-Sided Flush Faceplate with Traditional Surround	38-9/16"	28-13/16"	2-1/4"	--
3-Sided Custom Faceplate	29-1/16" – 56-7/8"	18-7/8" – 44-7/8"	1/16"	--
4-Sided Custom Faceplate	29-1/16" – 69"	20-13/16" – 45"	1/16"	1-13/16" min
Oversized Backing Plate	44-11/16"	29-5/8"	1/16"	--

* Bottom trim from 4-sided finishing trim is removed to create a 3-sided
** Included with appliance


FRAMING INSTALLATION



WOOD FRAMING


A	B	C
25-5/8"	17-11/16"	11-7/8"

SPECIFICATIONS – Ei25 ELECTRIC INSERT





FACEPLATE	DIMENSIONS			
	A - MIN. INSTALL WIDTH	B - MIN. INSTALL HEIGHT	C - MIN. INSTALL DEPTH	D - MIN. REAR WIDTH
3-Sided Finishing Trim	25-5/8"	17-11/16"	11-7/8"	19"
4-Sided Finishing Trim	25-5/8"	17-11/16"	11-7/8"	19"
3-Sided Flush Faceplate	25-3/4"	17-11/16"	11-13/16"	19"
4-Sided Flush Faceplate	25-3/4"	17-13/16"	11-13/16"	19"
3-Sided Flush Faceplate with Premium Surround	24-13/16"	17-11/16"	10-7/16"	19"
3-Sided Flush Faceplate with Traditional Surround	24-3/8"	17-11/16"	9-3/4"	19"
3-Sided Custom Faceplate	25-3/4"	17-11/16"	11-13/16"	19"
4-Sided Custom Faceplate	25-3/4"	17-13/16"	11-13/16"	19"
3-Sided Flush Faceplate with Backing Plate	25-11/16"	17-11/16"	11-13/16"	19"
3-Sided Finishing Trim with Backing Plate	25-11/16"	17-11/16"	11-13/16"	19"
3-Sided Flush Faceplate with Premium Surround and Backing Plate	25-11/16"	17-11/16"	10-3/8"	19"
3-Sided Flush Faceplate with Traditional Surround and Backing Plate	25-11/16"	17-11/16"	9-11/16"	19"


SPECIFICATIONS – Ei29/Ei29LCD ELECTRIC INSERT



3-Sided Faceplate



4-Sided Faceplate




FACEPLATE	DIMENSIONS			
	A - WIDTH	B - HEIGHT	C - DEPTH	D - BOTTOM HEIGHT
3-Sided Finishing Trim*	31-1/16"	20-7/8"	1/8"	--
4-Sided Finishing Trim**	31-1/16"	21-13/16"	1/8"	13/16"
3-Sided Flush Faceplate	40-3/16"	26"	1/16"	--
4-Sided Flush Faceplate	40-3/16"	29-1/2"	1/16"	4-3/4"
3-Sided Flush Faceplate with Premium Surround	40-13/16"	26-3/8"	1-11/16"	--
3-Sided Flush Faceplate with Traditional Surround	45-3/4"	28-3/4"	2-1/4"	--
3-Sided Custom Faceplate	33-1/16" – 56-7/8"	21-7/8" – 44-7/8"	1/16"	--
4-Sided Custom Faceplate	33-1/16" – 69"	23-13/16" – 45"	1/16"	1-7/8" min
Oversized Backing Plate	47-1/2"	31-1/2"	1/16"	--

* Bottom trim from 4-sided finishing trim is removed to create a 3-sided

** Included with appliance

FRAMING INSTALLATION




WOOD FRAMING

A	B	C
29-3/4"	20-9/16"	12-5/8"


SPECIFICATIONS – Ei29/Ei29LCD ELECTRIC INSERT

MINIMUM FIREPLACE DIMENSIONS





FACEPLATE	DIMENSIONS			
	A - MIN. INSTALL WIDTH	B - MIN. INSTALL HEIGHT	C - MIN. INSTALL DEPTH	D - MIN. REAR WIDTH
3-Sided Finishing Trim	29-5/8"	20-5/16"	11-13/16"	23-5/16"
4-Sided Finishing Trim	29-5/8"	20-5/16"	11-13/16"	23-5/16"
3-Sided Flush Faceplate	29-13/16"	20-9/16"	11-13/16"	23-5/16"
4-Sided Flush Faceplate	29-13/16"	20-13/16"	11-13/16"	23-5/16"
3-Sided Flush Faceplate with Premium Surround	29"	20-3/16"	10-7/16"	23-5/16"
3-Sided Flush Faceplate with Traditional Surround	28-7/16"	20-1/8"	9-3/4"	23-5/16"
3-Sided Custom Faceplate	29-13/16"	20-9/16"	11-13/16"	23-5/16"
4-Sided Custom Faceplate	29-13/16"	20-13/16"	11-13/16"	23-5/16"
3-Sided Flush Faceplate with Backing Plate	30-5/8"	20-3/4"	11-13/16"	23-5/16"
3-Sided Finishing Trim with Backing Plate	30-5/8"	20-3/4"	11-13/16"	23-5/16"
3-Sided Flush Faceplate with Premium Surround and Backing Plate	30-5/8"	20-3/4"	10-3/8"	23-5/16"
3-Sided Flush Faceplate with Traditional Surround and Backing Plate	30-5/8"	20-3/4"	9-11/16"	23-5/16"


SPECIFICATIONS – Ei33/Ei33LCD ELECTRIC INSERT



3-Sided Faceplate



4-Sided Faceplate




FACEPLATE	DIMENSIONS			
	A - WIDTH	B - HEIGHT	C - DEPTH	D - BOTTOM HEIGHT
3-Sided Finishing Trim*	35-1/16"	24-7/8"	1/8"	--
4-Sided Finishing Trim**	35-1/16"	25-13/16"	1/8"	13/16"
3-Sided Flush Faceplate	46-1/8"	30-13/16"	1/16"	--
4-Sided Flush Faceplate	46-1/8"	37-1/16"	1/16"	6-1/2"
3-Sided Flush Faceplate with Premium Surround	46-3/4"	31-3/16"	1-11/16"	--
3-Sided Flush Faceplate with Traditional Surround	51-11/16"	33-9/16"	2-1/4"	--
3-Sided Custom Faceplate	37-1/16" – 56-7/8"	25-7/8" – 44-7/8"	1/16"	--
4-Sided Custom Faceplate	37-1/16" – 69"	27-13/16" – 45"	1/16"	1-13/16" min
Oversized Backing Plate	50-1/4"	33"	1/16"	--

* Bottom trim from 4-sided finishing trim is removed to create a 3-sided

** Included with appliance

FRAMING INSTALLATION




WOOD FRAMING

A	B	C
33-5/8"	24-11/16"	13-1/4"

SPECIFICATIONS – Ei33/Ei33LCD ELECTRIC INSERT

MINIMUM FIREPLACE DIMENSIONS



FACEPLATE	DIMENSIONS			
	A - MIN. INSTALL WIDTH	B - MIN. INSTALL HEIGHT	C - MIN. INSTALL DEPTH	D - MIN. REAR WIDTH
3-Sided Finishing Trim	33-5/8"	24-11/16"	13-1/4"	26-1/4"
4-Sided Finishing Trim	33-5/8"	24-11/16"	13-1/4"	26-1/4"
3-Sided Flush Faceplate	33-1/4"	24-11/16"	13-3/16"	26-1/4"
4-Sided Flush Faceplate	33-3/4"	24-13/16"	13-3/16"	26-1/4"
3-Sided Flush Faceplate with Premium Surround	32-13/16"	24-11/16"	11-13/16"	26-1/4"
3-Sided Flush Faceplate with Traditional Surround	32-2/8"	24-11/16"	11-1/8"	26-1/4"
3-Sided Custom Faceplate	33-1/4"	24-11/16"	13-3/16"	26-1/4"
4-Sided Custom Faceplate	33-1/4"	24-13/16"	13-3/16"	26-1/4"
3-Sided Flush Faceplate with Backing Plate	34-3/16"	24-11/16"	13-1/8"	26-1/4"
3-Sided Finishing Trim with Backing Plate	34-3/16"	24-11/16"	13-3/16"	26-1/4"
3-Sided Flush Faceplate with Premium Surround and Backing Plate	32-13/16"	24-11/16"	11-3/4"	26-1/4"
3-Sided Flush Faceplate with Traditional Surround and Backing Plate	34-3/16"	24-11/16"	11-1/16"	26-1/4"